

Rural Catalogue



The Heiniger Story

Heiniger has been in Australasia since 1989, under the stewardship of Gary Lyons. Since then, the local Heiniger business has grown from supplying a limited range of shearing and clipping equipment to a market leader in wool harvesting requisites and animal fibre harvesting products together with an expanding range of agricultural products and inputs.

The loyalty and dedication of our staff, combined with the specialised technical knowledge of animal shearing and clipping, are the key success factors underpinning the Heiniger brand which has become synonymous with quality, reliability and precision.



Contents

EVO Shearing Plant & Accessories	4	Shearing Accessories	35
TPW Xpress Woolpress	10	Husbandry & Identification	38
TPW Backease Hoist	14	Clothing	42
Handpiece	16	Woolshed Accessories	45
Combs	21	Equine Clippers & Blades	48
Cutters	28	Pet Clippers, Trimmers & Blades	54
Grinding Equipment	30		



World's #1 selling
Shearing Plant

Evo

Shearing Plant

- Winner of multiple WorkSafe awards
- Integrated safety cut out helps eliminate dangerous lock ups
- Durable, high performance 400W motor
- Soft start to increase handpiece life and reduce wear

The first professional shearing system in the world with an electronic safety switch designed to help eliminate handpiece lockup. Sturdy, fibreglass reinforced housing with quick clamp system to eliminate movement between motor and downtube.

Speeds at 230V: 3500/3200/2700rpm

Weight: 7.8kg motor only / 14.4kg including downtube

722-702A



Downtubes



Solid
722-756

Flexible Worm Drive
Complete with Coupling
Sleeve Pin: 721-421
165cm: 722-666
200cm: 722-660

Stands & Brackets



Quick Portable Stand
722-759

Quick Hang Plate
722-761

Wall Bracket
722-750

Cord Guidance
722-880

Downtube Adaptor - Quick Clamp Kit
722-890

Accessories



Downtube Transporter

Easily carry and keep your downtube safe from damage during transport with our Downtube Transporters, made from the same tough, weather resistant material as our Evo Transporters. The thick, padded end offers complete protection for your downtube drive, and the strong velcro flap secures your downtube in place.

900-311



Shearing Plant Transporter

Conveniently carry and protect your Evo during transport with our Shearing Plant Transporters, made from durable, heavy duty and weather resistant material to shield your most expensive shearing asset.

900-310



Evo Service Kit

Keep your Evo running smoothly with an Evo Service Kit containing all the parts you need to carry out a full Evo Shearing Plant service.

722-957



Shearing Plant Cover

Protect your installed Evo and downtube in the shed with our protective covers, made from durable, hard wearing material with a drawstring fastener for secure fit and protection from the elements. Fits the Evo and most modern shearing plants.

900-300



Shearing Oil

Designed to protect and extend the life of your shearing equipment, and keep your gear performing at its peak for longer.

Prevents equipment from overheating and is suitable for use in high and low temperature environments.


Reduces residue buildup and prevents corrosion with low foaming formula.

719-036

**“EMPLOYEE SAFETY IS IN OUR BEST INTEREST. OUR STAFF
LOVE THE EVO FOR ITS SMOOTH RUNNING, EFFICIENCY
AND SAFETY. THIS IS THE WAY FORWARD!”**

Darren Spencer

President, WA Shearing Industry Association

A large, industrial woolpress machine is the central focus of the image. It is a heavy-duty, grey-colored machine with a complex structure of rollers and frames. The machine is mounted on a metal cart with four large, heavy-duty wheels. On the left side of the machine, there is a small rectangular logo with a cross symbol and the letters 'TPW' below it. The machine is situated in a large, industrial facility with a high ceiling and a corrugated metal wall in the background. The floor is a smooth, light-colored concrete. The overall lighting is somewhat dim, typical of an industrial interior.

World's #1 selling
Woolpress

TPW Xpress

Woolpress

- Renowned reliability, the preferred woolpress of contractors
- Safety screen guard complete with automatic return
- Cycle time of 12-16 seconds in high yielding wool to 200kg
- Swift pack locking system - the fastest available

Capable of pressing 90 bales of wool a day, the TPW Xpress Woolpress handles a 10 stand shed with ease. The unique automatic side pinning results in bales being compact, square and contamination free while the powerful yet quiet single hydraulic cylinder ensures more wool is pressed into fewer bales.

Specifically designed with a low overall height to be easily maneuvered and fit through personal doorways upright and comes complete with the brand new  Indicator.

3HP 240V Single Phase soft start: **602-098**

5.5HP 415V 3 phase: **602-096**

3HP 480V: **602-097**

3HP Dual Voltage 240/480V: **602-110**



FX1+ Indicator

Included as standard with TPW Woolpresses

The brand new FX1+ indicator features audible and visible alarms that let you know when you're approaching target weight and built-in memory to retain the last weight reading in the case of a power failure.

- **Numbers flash faster while approaching target weight**
- **Intermittent buzzer gets faster approaching target weight**
- **Buzzer sounds continuously as target weight is reached**



When used with Iconix loadbars, the FX1+ has **FREE** mode for weighing static loads such as produce, and **HOLD** mode for livestock weighing which averages the weight of the animal and displays this until the next animal is weighed.

FX1+ Indicator: **601-000**

Iconix Loadbars 600mm (pair): **601-011**

Specifications

TPW Xpress Woolpress

Operation height	2740mm
Transport height	2140mm
Box height (filling)	1185mm
Width	1390mm
Depth	970mm
Weight	530kg
Generator size minimum	8KVA
Pressure relief	2600-2700psi
Oil capacity	25L
Pump	Variable displacement piston pump.
Cylinder	88.9mm bore x 740mm stroke.
Oil type	Hyspin AWS 32

Upgrades & Accessories

TPW Xpress Woolpress



Quick Release Cylinder Kit

Save time lowering the cylinder and easily transport your TPW Xpress between sheds and through low doorways.

602-076



WorkSafe Compliant Upgrade Kit

Upgrade your TPW Xpress Woolpress with this full worksafe compliant screen upgrade kit.

602-901



Screen Upgrade

Improve the safety of your TPW with a genuine screen upgrade kit.

602-903



Woolbale Trolley

For safe transportation of woolbales.

AXPS 130



Woolpress Trolley

For safe transportation of the TPW Xpress Woolpress.

606-030



Woolpress Cover

Protects your Woolpress from dirt, dust and other contaminants. Built to last with covered zips to keep dirt out, strong velcro fastening flaps for quick and secure fitment and top flap to fit raised cylinder.

900-312



Compact, versatile & easy-to-use
Backease Hoist

BACKEASE 600

BULL DOG



TPW Backease Hoist

Industry professionals trust the reliable TPW Backease Hoist to safely lift loads of up to 600kg with extendable 1.2 - 1.8m boom. At only 78kg, it's easy to install with no loss of load space and features hydraulic lift and pressure regulated downwards movement.

With a wide range of attachments available, the Backease Hoist is ready to lift **pallets, posts, fencing, drums, sheep, gas cylinders & more!**

Available in **white** and **yellow**.



12V: **White: 600-101** **Yellow: 600-100**

24V: **White: 600-102** **Yellow: 600-099**



View full specs and see the range of Hoist attachments in action!



A black and white photograph of a man in a tank top, looking down at a handpiece he is holding. The background is a plain, light color. The text is overlaid on the image in a white, hand-drawn style font.

Handpieces

Used by the world's top shearers

Icon FX

Mechanical Handpiece

- The handpiece used by the world's top shearers
- Slimmer barrel for comfort, manoeuvrability & control
- Lighter weight to save time and maximise tallies



The overall lighter FX requires less effort and time to start and stop each blow, helping you shear more efficiently and maximise tallies.

The redesigned slimmer barrel provides better handpiece balance and new levels of comfort and ergonomics to reduce strain and give you superior maneuverability, control and grip. Comes with durable aluminium case, screwdriver and ferrule.

Icon Cyclone

Mechanical Handpiece

- Designed by experts, tested by professionals
- Smooth running, ergonomic design & a crisper cut
- Offers longer working life and reduced maintenance



Developed in cooperation with the Swiss Technical University ETH in Zurich, the Cyclone offers high performance, a longer working life and minimal maintenance effort required. Comes with durable aluminium case, screwdriver and ferrule.

721-180

Xpert

240V Electric Handpiece

- High-torque, 200W permanent magnet motor
- Ergonomic and lightweight at 1180g
- 2500dbms per minute cutting speed
- Fitted with Topaz comb and Diamond cutter



Power and technology are combined at the highest level in this handy, lightweight machine. The unique and innovative strong connection between the shearing head and the reinforced housing ensures low vibration while shearing.

708-202

Ultimate 3

12V Battery Handpiece

- Thumb operated momentary switch and retractable cord
- Cutting speed of 2250dbps per min
- Powerful 160W motor
- Lightweight at only 1400g



Now with advanced lithium-ion battery, the Ultimate 3 lets you shear, crutch or dag anywhere.

Complete with carry case, 1 Li-ion battery, charger, belt, holster, Ovina comb, Xtreme cutter and a choice of battery pouch or battery backpack. 712-150



Clipper Head

Converts Ultimate 3 and S12 to horse and cattle clippers.

706-500

S12

12V Electric Handpiece

- Battery-operated shearing handpiece with 5m lead
- Cutting speed of 2250dbps per min
- Operating time of 4 to 5 hours with regular car battery
- Lightweight at only 1230g



The portable 12V battery operated S12 can be used everywhere a 12V battery is available, a mains connection is not required.

Complete with carry case, screwdriver, oil, brush, Topaz comb and Diamond cutter.

712-100

Spare Parts

For Icon Handpieces



Long Repair Kit

- 1 Tension Pin
- 1 Tension Sleeve
- 1 Tension Pin Cup
- 1 Tension Pin Retaining Spring
- 1 Centre Post
- 1 Centre Post Cup
- 1 Centre Post Lock Nut
- 1 Ball
- 2 Cogs

721-162



Short Repair Kit

- 1 Tension Pin
- 1 Tension Sleeve
- 1 Tension Pin Cup
- 1 Tension Pin Retaining Spring
- 1 Centre Post
- 1 Centre Post Cup

721-163



Bearing Replacement Kit

- 1 Distance Washer
- 1 Front Bearing
- 1 Wave Washer
- 1 Circlip
- 1 Seal

721-164



Cog Kit

- 2 Cogs
- 1 Inner/Outer Bearing

721-166



Bearing Tool Kit

721-140

Run In

Shearing Combs



FREESTYLE REVOLUTION

96mm wide; long bevel

For average to poor shearing merinos. Delivers a wide blow whilst leaving a beautiful finish. 714-116



FREAK

94.5mm wide; long bevel

For fine wool shearing. Australia's #1 selling shearing comb.


Right: 714-085 Left: 714-120



HUGE

96mm wide; long bevel.

For shearing of fine wool types. The long bevel, fine tooth and smooth bends help the comb to remain on the skin resulting in an excellent finish. 714-075



BAD LG2

94.5mm wide; long bevel

Everything you love about the original BAD with LG2 to help you tackle the toughest combing sheep! 714-097



SUPER QUASAR

95mm wide; medium bevel.

A run in version of our trusted Quasar comb profile which offers optimum entry and flow to maximise tallies in open woolled free combing sheep.

714-037



BAD

94.5mm wide; long bevel

For average shearing merinos. A versatile comb that lasts the distance. 714-097



XPRESS

93.5mm wide; long bevel

For all types of fine wool sheep. The bends, width and long bevel are based on the ever-popular Wicked comb profile. 714-061



XLR8

98mm wide; medium bevel

For broad wool shearing. Superior entry and flow on the skin with smoother bends for maximum tallies. 714-106



REBEL

92mm wide; long bevel


For use in the toughest shearing fine wool sheep. With straight bottom tooth, designed to perform straight from the packet. 714-086



B-EVIL

94.5mm wide; medium bevel


For the widest variety of merino and cross-bred sheep. Versatile and efficient, this could well be the only comb you will ever need. 714-130



NINJA

97mm wide; medium-long bevel

For good combing sheep. Designed to achieve high tallies straight from the packet. 714-107



PROFLEX

94mm wide; medium bevel


For open woolled merinos and tough shearing cross-breds. 714-096



KOMBAT

97mm wide; short bevel


For avoiding skin cuts and improving tallies. With superior technology to allow the comb to enter, find the skin with ease and offer excellent flow over the skin. **714-108**



SUPER CHARGED

93.5mm wide; short bevel


For open woolled sheep. The lower profile provides superior entry. **714-034**



RAGING WARRIOR

96mm wide; short bevel

For open wool sheep types. A wide cross-bred profile delivering the perfect flow. **714-056**



QUANTUM


95mm wide; short bevel

For open woolled free combing sheep. Enhanced flow for maximum tallies.

Right: 714-050 Left: 714-068


What is LG2?

Heiniger's patented LG2 technology reduces grease build-up on the back of the comb, provides superior entry and flow and allows the comb to sit better on the pelt of the sheep.




What is BAT?

Combs with Heiniger's unique Bevel Angle Technology have a larger radius on the scallop, allowing for improved entry straight from the box.



Full Thickness

Shearing Combs



FREESTYLE

96mm wide; long bevel

For average to poor shearing merinos. Delivers a wide blow whilst leaving a beautiful finish.

Right: 714-057 Left: 714-087



RAPIER

86mm wide; long bevel

For use in tough shearing sheep. The straight bottom tooth allows easy entry in damp, sticky wool making it a favourite in crutching cradles.

714-040



WICKED

93.5mm wide; long bevel

For all types of fine wool sheep. A proven favourite for achieving high tallies. 714-042



REFLEX

94mm wide; medium bevel

For shearing open woolled merinos and tough shearing cross-breds. Attention has been placed on the bends of the teeth resulting in a perfect finish.


Right: 714-077 Left: 714-067



AWESOME

92mm wide; long bevel

For toughest of fine wool sheep. Specifically designed with a flat bottom tooth for those who shear with a flat hand. 714-051



TOPAZ

84.5mm wide; medium bevel

For use in all types of wool and shearing conditions.

714-078

Winter

Shearing Combs



CRUSADER

94.5mm wide; long bevel

For shearing tighter woolled sheep types. 714-069



HIGHLANDER

97mm wide; medium bevel

For open woolled and tougher cross-bred sheep. Leaves a residual cover of wool for protection from the elements. 714-066

SAFETY WARNING!

Winter combs should **ONLY** be paired with suitable cutters.

We recommend to only use either EDGE or XTREME cutters with winter comb profiles and we warn against the use of JET or DIAMOND cutters on winter combs.

If you are unsure, contact our team on (08) 9434 0000 before use.

Special Purpose

Shearing Combs



OVINA PREMIUM

77mm wide; medium bevel

For multiple uses including shearing, crutching, dagging or side sampling. Ensures maximum safety and reduces nicks and cuts. 714-020



SLICK

84.5mm wide; medium bevel

For demonstration shearing, side sampling and stud sheep shearing. A concave 17 tooth design provides a high degree of safety ensuring nicks and skin cuts are kept to a minimum. 714-115



SHATTLE

For horse and cattle clipping as well as a range of other animals. A unique comb with a 25 tooth concave design for use on electric or mechanical shearing handpieces. 714-090



COMB LIFTER

Attaches to the comb, raising it from the skin and leaving a generous cover of wool on the animal. We recommend the use of our electric handpiece comb screws in conjunction with the comb lifter. 714-099



CAMELID

For shearing llamas, alpacas, guanacos and other members of the camelid family. Leaves a cover of 6mm to 10mm of fibre. 714-025

Cutters



JET (Full Thickness)

For extra wide combs. Fine points with a steeper angle to provide extra lead on thin combs. 714-010

***Not suitable for use with winter combs.**



DIAMOND (Run-In)

For all combs except Winter. Parallel ground to ensure even tension and precision re-sharpening. 714-011

***Not suitable for use with winter combs.**



EDGE (Full Thickness)

Edge cutters feature a wider throw and further reach for a greater selection of lead options. Suitable for all combs, including Winter. 714-151



XTREME (Run-In)

For all combs, including Winter. Incorporates safety features to eliminate potentially dangerous comb and cutter mechanical lock-ups. 714-152



Cutter Dispenser

Conveniently stores 60 - 80 Heiniger cutters with quick release system for easy access.

Protects your cutters with the unique design that guards the teeth's sharp edges.

Locks your cutters in place during transport with the unique rubber stopper.

Built tough with durable aluminium - the only cutter dispenser you'll ever need.

721-196

Spare Stopper

Genuine replacement stopper for your Heiniger Cutter Dispenser.

900-819





The A.R.T. of
Grinding

Acutecc

Professional Grinder

- With Arc Radius Technology
- Enhances your ability to get on the radius of the disc
- Powerful enough to be permanent, light enough to be portable
- Your complete out of the box grinding solution

The longer mast height delivers a more consistent movement of the pendulum along the radius line, which in turn enhances the hollow when sharpening combs and cutters.

Includes 2 pendulums, 1 coarse Red Heat emery, 1 fine Red Heat emery, 1 250ml emery glue, safety glasses, ear plugs, grinding wall chart and comb hollow check stone.

719-300



Diamond Grind

Grinding Emery

- Aluminium oxide shearing emery
- Strong spark definition



Comes in coarse 40 grit for combs or fine 80 grit for cutters.

Coarse: 719-202 Fine: 719-203

GT Premium

Grinding Emery

- Longer lasting, crisp cut professional shearing emery
- Incorporates the latest in abrasive technology



Available in coarse for combs and fine for cutters.

GT-999 Coarse: 719-299 GT-888 Fine: 719-288

Red Heat

Grinding Emery

- Unique backing achieves a true replication of the hollow
- Exceptionally sharp with 100% patented SG ceramic grain
- Offers fast coating removal with less loading and longer life



Our Red Heat grinding emery is unique in offering a 'closer to disc' grind due to its unique new backing and the 100% patented SG (Seeded Gel) ceramic grain lets you save time by changing emery less often.

Coarse: 719-250 Fine: 719-260

“RED HEAT PROVIDES A CONSISTENT GRIND FOR THE LIFE OF THE EMERY & STILL GOING STRONG AFTER 50 PLUS COMBS & 100 CUTTERS!”


Daniel McIntyre

Australian National Shearing Champion
2014, 2015, 2017, 2018 & 2019

Mark Conlan Memorial Test Shearer
2014, 2016, 2017 & 2019

Joe Paewai Memorial Test Shearer
2014, 2019 & 2020

10-time Dubbo Open Final Champion



Shearer's Glue

- Latex-based adhesive, the choice of shearers worldwide
- Reliable adhesion in all climates
- Reduced downtime when changing emeries



250ml: 719-013 500ml: 719-014

Pendulum

- T6 forged anodised aluminium head
- Enhanced locking system for precise height adjustment
- Stainless steel rod for easy adjustment and low maintenance



Versatile to use on any grinder and adjustable for grinding combs and cutters. Complete with grinding technique chart, two handles and safety ear and eye wear.

719-032

Acutecc Hollow Gauge

- Silicon carbide checking stone
- Ensures the correct hollow is obtained when grinding
- Includes comprehensive grinding technique wall chart



799-054

Grinding Discs

- Low heat aluminium grinding discs



Grinder Disc Set: **719-010**

Disc Cleaner: **F9390230**

Disc Covers: **719-023**

Shearing Accessories



Belts

Elastic belt with genuine leather tongue and steel buckle.

Wide 52mm (sizes 32-44 inches): **607-022W**

Narrow 34mm (sizes 32-52 inches): **607-022N**

Braces (S - XL): **607-037**

Harness Braces (S - XL): **607-038**



Arm Band

Reduces the pain of tendonitis.

(S - XL): **607-026**

Bo Yangs

Takes the pain from shearer's knees by lifting and strapping the jeans around the calves.

607-031



Tally Counter

0-9999 push button operation, chrome plated with instant reset. **523-000**



Gunrunner Pouches

Leather 6 pocket: **607-039**

Leather 9 Pocket: **607-040**

Felt 6 pocket: **607-027**

Felt 9 Pocket: **607-028**



Gunrunner Comb Covers

For Show Shearers

607-030

Gunrunner Backwarmers

Wool (S - XL): **607-025**

Thermal (S - XL): **607-024**



Gunrunner Gear Bags

Made from heavy duty PVC, water-proof and designed to last.

Small: **607-034**

Large: **607-035**

Extra large: **607-036**



Comb Brush

Specifically designed for cleaning shearing combs. Made from durable material with metal scraper incorporated.

701-653



Polishing Wax

Use in conjunction with calico mop on bright boys or small grinders to achieve outstanding shine. 523-005



Screwdriver

Octagonal handle for excellent grip.

701-646



Calico Mop

For comb polishing. Unbleached/uncoloured to prevent wool contamination.

523-010



Strop 'N' Shine Kit

Unique design ensures smooth tips and an ultra gloss on all Heiniger comb types. Comes complete with carry bag and polish.

Full kit: 523-015 Polish only: 523-016



Leather Strop

Removes pitting and chipped edges from comb tips enabling smooth entry. Made from 4mm thick cow hide.

523-001



Hand Shears

Australian farmers and mulesing contractors have come to know the quality of Gurney and processed shears.

Gurney Mulesing Shears 5": **133-006**

Gurney Sharpened Shears 5": **133-004**

Dagging Shear 5": **133-002**

Shark Knife: **133-007**



Needle & Cotton

715-352



Shearer's Oil Can

Complete with flexible spout.

700-089

Husbandry & Identification



SiRoMark Sheep Branding Fluid

Fully scourable, easy and economical to use and made in a modern, AGSAFE accredited manufacturing premises.

Red: 0787

Blue: 0788

Green: 0789

Purple: 0790



Sheep Marker

NRA certified, fully scourable stock marker.

Blue: 465-004

Orange: 465-002

Red: 465-003

Green: 465-005

Purple: 465-034



Elastrator Rings

For castration, tailing and other industrial applications. Stringently quality controlled for size, strength and durability to ISO 9001 standards.

500 Tub: **001-ERG500**

2000 Bucket: **001-ERG2000**



Original Applicator

Largest opening of any standard applicator on the market. Opens Elastrator rubber latex rings to their exact tensile tolerance.

001-EAO



Generic Applicator

An economically priced generic rubber latex ring expander.

001-EAG



Ring Dispenser

Solid, non corrosive metal dispenser. Mountable on fence or rail to reduce time taken to apply elastrator rings to the applicator.

001-ERD



Tail Paint

- Economical and durable
- Unique MAC heat detection formulation
- Long lasting in 6 bright colours
- Easily identifiable from a distance
- Non-block nozzle to eliminate waste
- Colour coded cans for easy recognition

RED 500ml: 465-044

ORANGE 500ml: 465-043

YELLOW 500ml: 465-045

GREEN 500ml: 465-042

BLUE 500ml: 465-046

PINK 500ml: 465-041



Obstetrical Lubricant **GEL**

- For general purpose lubrication in animal husbandry
- Non-spermicidal and AI safe
- Stable gel formulation for superior lubrication, consistency and coverage
- Australian made
- Water based
- Long 2-year shelf life

1L: 465-073

2L: 465-074

5L: 465-075



Clothing of champions

Pete Nikolaison Photography

Next Gen Jeans RS

Shearing Apparel

- Tough, durable and abrasion resistant
- Soft cotton feel for maximum comfort
- Resistant to stretching and deforming
- Elastic waist inserts for a the perfect fit
- Breathable and quick drying
- Designed by shearers for shearers

Available Sizes:

77.5	Regular	607-127
80	Regular	607-105
82.5	Short	607-126
82.5	Regular	607-106
82.5	Long	607-121
85	Regular	607-107
85	Long	607-119
87.5	Regular	607-108
87.5	Long	607-115
90	Regular	607-109
90	Long	607-122
92.5	Short	607-124
92.5	Regular	607-111
92.5	Long	607-110
95	Regular	607-112
95	Long	607-123
97.5	Regular	607-113
97.5	Long	607-117
102.5	Regular	607-118
107.5	Short	607-125



Original Shearer's Jeans

- Made from exceptional quality long lasting black denim
- Minimal fading
- Heavy duty zip & double denim at all wear points
- Minimal 3% shrinkage rate
- Designed to stay on the hips
- Exceptionally comfortable to shear in
- Split leg cuff making them easier to get on and off
- Tailored back and waist



Size		Inside Leg	Code
72.5	Regular	78cm	607-086
77.5	Short	74cm	607-050
77.5	Regular	78cm	607-051
77.5	Long	84cm	607-052
80	Short	74cm	607-053
80	Regular	78cm	607-054
80	Long	84cm	607-055
82.5	Short	74cm	607-056
82.5	Regular	78cm	607-057
82.5	Long	84cm	607-058
85	Short	74cm	607-059
85	Regular	78cm	607-060
85	Long	84cm	607-061
87.5	Short	74cm	607-062
87.5	Regular	78cm	607-063
87.5	Long	84cm	607-064
90	Short	74cm	607-065
90	Regular	78cm	607-066
90	Long	84cm	607-067
92.5	Short	74cm	607-068
92.5	Regular	78cm	607-069
92.5	Long	84cm	607-070
95	Short	74cm	607-071
95	Regular	78cm	607-072
95	Long	84cm	607-073
97.5	Short	74cm	607-074
97.5	Regular	78cm	607-075
97.5	Long	84cm	607-076
100	Short	74cm	607-077
100	Regular	78cm	607-078
100	Long	84cm	607-079
102.5	Short	74cm	607-080
102.5	Regular	78cm	607-081
102.5	Long	84cm	607-082
107.5	Short	74cm	607-083
112.5	Short	74cm	607-084

Heiniger Apparel



Next Gen Singlet

Lightweight, breathable, quick drying and durable Shearer's singlet with advanced technology for unbeatable comfort. (S - XXXL):

607-015



Heiniger Baseball Cap

985-017



Heiniger Beanie

607-044



Heiniger Leather Moccasins

High quality, hard wearing suede leather with a comfortable and durable lining.

Men's (sizes 6-13): 607-020L



Gunrunner Moccasins

Regular (sizes 6-13): 607-020N

With flap (sizes 6-13): 607-020W

Elastic sided (sizes 6-13): 607-021



Heiniger Hoodie

The latest Heiniger Hoodie features laminated fleece fabric for added weather proofing, heather knit outer fabric that hides dust and dirt and a bonded fleece lining for extra warmth and comfort.

The modern design features a contrast soft shell panel, stretch hems on cuffs, waistband and neckline for an ideal fit.

2 zippered side pockets and a secure mobile phone pocket safely stores your everyday essentials.

280gsm; 100% polyester; laminated fleece

Mens sizes: XXS-3XL Womens sizes: 8-22

607-048

Woolshed Accessories



Woolshed Scraper

Features extendable handle with rubber grip and long lasting polypropylene blade.

Scraper & blade: **799-009**

Replacement blade kit: **799-060**



Betta Bats

Ideal for picking up lamb's wool and locks and various other handling tasks around the farm or shearing shed.

523-006



Bale Hook

Excellent bend and a point which pierces the bale with ease.

ST-BH1



Bag Hook

ST-BAH2



Signet Stencil Spray

Excellent non-drip nozzle for stencil spraying.

Black: **ST-ASB**



Signet Woolbale Ink

Permanent ink for stencil roller pad.

1L: **ST-WB10**

Roller Pad: **ST-PAD**



Ace One Shot Growers Pack

Great value with three cartridges and a pump brush for stencil marking of wool bales.

ST-ACE

8x125ml black refill: **ST-INK**

Stencil Brush Only: **ST-BRU**



Ace One Shot Stencil Roller

Pump action for economical delivery of ink.

Full Kit: **ST-ROL**

Roller Replacement: **ST-ROL75**



Circular Stencils

Long lasting plastic with bevelled lettering for precise stencilling and less bleed.

Numeric 0-9: **ST-09**

Alpha A-M: **ST-AM**

Alpha N-Z: **ST-NZ**

Alpha Numeric Full Set: **ST-CS**



Woolclassing Stencils

Custom and individual stencil range. Long lasting plastic with bevelled lettering for precise stencilling and less bleed.

Complete kit: **ST-WCSK**

Complete kit + Alpha-numeric circular stencil kit: **ST-STG**



Equine Grooming

(See our full equine range in our **Grooming Catalogue**)

Delta 3

240V Clipper

- Ergonomic grip for comfort and control
- Innovative tensioning system reduces wear and tear
- Silent but powerful 180 Watts
- 3 clipping speeds



The only horse clipper on the market with 3 clipping speeds, allowing a simple and easy professional look clip even in the toughest conditions.

Speeds: 2100/2800/3200 db/min

Comes complete with clipping blades.

707-002

Xperience 2-Speed

240V Clipper

- Ergonomically shaped slim grip, soft feel barrel
- 2,600 and 2,900 db/min clipping speeds
- Lightweight at 1180g
- Very powerful 250 watt motor



Featuring two versatile clipping speeds! Use the top speed for a faster, more efficient clip and use the lower speed for a quieter clip with less vibration, perfect for sensitive horses and those ticklish areas.

Comes complete with clipping blades.

708-022

Progress Style

240V Clipper

- Ultra-slim grip provides easy handling
- Smooth for precision clipping
- Great for nervous or young horses
- Lightweight at only 930g



Quiet running clipper with a strong 80 watt permanent magnet motor with considerable torque.

Comes complete with clipping blades.

707-518

Xplorer

10.8V Cordless Clipper

- Ergonomically shaped slim grip and soft feel barrel
- Lightweight at only 990g
- Powerful 10.8V Li-Ion rechargeable battery
- Extremely silent at 65dB



10.8V Cordless horse and cattle clipper for smooth and powerful clipping! At 2450 db/ minute, the Xplorer has more cutting power to the blades compared to any other clipper in its class! Provides up to 120 minutes of clipping in a single charge, and recharges in 60-70 minutes.

Comes complete with clipping blades.

708-402

Blades

Large Clippers



18/15

- Leaves 2-4mm cover
- For thick or long coats

703-700



18/23

- Leaves 2-4mm cover
- For very dirty coats

703-690



21/23

- Leaves 2-4mm cover
- For dirty coats & cattle

703-520



31/15

- Leaves 2-4mm cover
- For a clean horse coat

703-530



31F/15

- Leaves 1-2mm cover
- For fine coat clipping

703-560



31/23

- Leaves 2-4mm cover
- For thoroughbred clipping

703-550



31F/23

- Leaves 1-2mm cover
- For a perfect finish on horse coats

703-580



35/17

- Leaves 2-4mm cover
- For horse and cow styling

703-600



35F/17

- Leaves 1-2mm cover
 - For clipping close to the skin
- 703-630



35F/23

- Leaves 1-2mm cover
 - For lasting thoroughbred clipping
- 703-640



53/23

- Leaves 1mm cover
 - For surgical use
- 703-670

Heiniger's Service Centre Offers:

- Clipper Repairs
- Clipper Servicing
- Blade Sharpening
- Scissor Sharpening



PO Box 647,
Cranbourne, VIC, 3977



(08) 9434 0000



Pet Grooming

(See our full pet grooming range in our [Grooming Catalogue](#))

Opal

2-Speed A5 Clipper

- Powerful 2-speed motor (2600 & 3100 double strokes/min)
- Unbelievably Quiet (59 decibels)
- 120 min runtime on high speed and 180 min on low speed (recharges in 60 min)
- Convenient battery level indicator
- Lightweight and ergonomic



The all-new 2-speed Opal is the latest addition to Heiniger's A5 Clipper range, providing an unrivalled level of quality, power and convenience and raising the bar in clipping for professional Groomers in Australia. Comes with #10 blade.

709-002.70A1

Saphir Style

A5 Clipper

- Lightweight, cordless and quiet
- 35W permanent magnet motor
- Powerful 2650 dbs/minute
- Also ideal for horse trimming



The versatile A5 clipper that can clip, trim & groom just about anything! Clip for up to 90 minutes on a single battery and charges back up to full in just 60 minutes. Comes with #10 blade.

707-752-70A1

Saphir Cord

A5 Clipper

- 240V with long 3 metre cord
- Powerful 35W motor capable of 3200 dbs/minute
- Lightweight & quiet



The versatile A5 clipper that can clip, trim & groom just about anything! Comes with #10 blade.

707-702

Opal Kits



Opal Deluxe Vet Kit

- 1 Opal
- 2 Li Ion Batteries
- 1 Charging Station
- 1 Cleaning Brush
- 1 Carry Case
- 1 Clipper Oil
- 1 #10 Blade

709-002.70K

Saphir Kits



Saphir Deluxe Vet Kit

- 1 Saphir Style
- 2 Li Ion Batteries
- 1 Charging Station
- 1 Cleaning Brush
- 1 Clipper Oil
- 1 #10 Blade

707-752-70K



Saphir Pro Solution

- 1 Saphir Style
- 1 Li Ion Battery
- 1 Charging Station
- 1 240v Power Cord
- 1 Cleaning Brush
- 1 Aluminium Carry Case
- 1 Clipper Oil
- 1 #10 Blade

707-752-70A5

Opal

Spare Parts & Servicing



Major Service Kit

- 1 Rubber Tap
- 1 Turning Lever
- 1 Seal
- 1 Blade Lock
- 1 Blade Support

709-038



Minor Service Kit

- 1 Rubber Tap Seal
- 1 Turning Lever
- 1 Seal

709-037



Battery

- 2.85AH genuine replacement battery
- To suit the Heiniger Opal

709-100

Saphir

Spare Parts & Servicing



Major Service Kit

- Turning Lever
- Seal
- Blade Lock
- Blade Support
- Circlip
- Excentric Cog Wheel

707-775



Minor Service Kit

- Turning Lever
- Seal
- Circlip

707-774



Battery

- 1.4AH genuine replacement battery
- To suit the Heiniger Saphir

707-771

Style Midi

Trimmer

- Lasts up to 100 mins on a single charge
- Charges within 60 mins
- Adjustable 46mm blade head
- Very quiet and low vibration



Perfect for clipping those tricky places! With 4 cutting lengths and 5 comb attachments: 4, 8, 12, 16 & 20mm.

707-202



Blade Set

707-260

Style Mini

Trimmer

- Lightweight, cordless and very quiet
- Lasts up to 80 mins on a single charge
- Charges within 60 mins
- Removable 30mm blade head



Specifically designed to clip and style around sensitive areas. Cut length of 0.3mm and adjustable comb attachment: 3 - 6mm.

707-212



Blade Set

707-265

Small Clipper Blades

To suit the Heiniger Saphir, Opal and other snap-on blade clippers.



#50

- Leaves 0.2mm cover
 - Suitable for Vet use & cats
- 707-905



#40

- Leaves 0.25mm cover
 - Suitable for Vet use & cats
- 707-910



#30

- Leaves 0.5mm cover
 - Suitable for Vet use, cats & dogs
- 707-917



#15

- Leaves 1.2mm cover
 - Suitable for cats & cows
- 707-926



#10

- Leaves 1.5mm cover
 - Suitable for cats, dogs & cows
- 707-930



#9

- Leaves 2.0mm cover
 - Suitable for dogs, horses & cows
- 707-933



#8.5

- Leaves 2.8mm cover
 - Suitable for dogs
- 707-941



#7

- Leaves 3.2mm cover
 - Suitable for dogs
- 707-943



#7F

- Leaves 3.2mm cover
 - Suitable for dogs
- 707-945



#5

- Leaves 6.3mm cover
 - Suitable for dogs
- 707-957

**#5F**

- Leaves 6.3mm cover
 - Suitable for dogs
- 707-960

**#4**

- Leaves 9.5mm cover
 - Suitable for dogs
- 707-964

**#4F**

- Leaves 9.5mm cover
 - Suitable for dogs
- 707-966

**#5/8**

- Leaves 0.8mm cover
 - Suitable for dogs
- 707-920

**#10W**

- Leaves 2.3mm cover
 - Suitable for horses & cows
- 707-974

**#10WF**

- Leaves 1.5mm cover
 - Suitable for horses
- 707-970

**#15W**

- Leaves 1.0mm cover
 - Suitable for horses
- 707-972

**#3 and #3F blades also available**

- Leaves 13mm cover
- #3: BL-3S #3F: BL-3F



Discover more at
heiniger.com.au

Heiniger Australia

(08) 9434 0000 | sales@heiniger.com.au | 5a Tayet Link, Bibra Lake, Western Australia 6163.

