

Rural Catalogue

New Zealand | Version 2

KENTEX- US



The Heiniger Story

Heiniger has been in Australasia since 1989, under the stewardship of Gary Lyons. Since then, the local Heiniger business has grown from supplying a limited range of shearing and clipping equipment to a market leader in wool harvesting requisites and animal fibre harvesting products together with an expanding range of agricultural products and inputs.

The loyalty and dedication of our staff, combined with the specialised technical knowledge of animal shearing and clipping, are the key success factors underpinning the Heiniger brand which has become synonomous with quality, reliability and precision.



Contents

Shearing Plants & Accessories	4
TPW Xpress Woolpress	10
TPW Backease Hoist	14
Handpiece	16
Combs	20
Cutters	28
Grinding Equipment	30
Accessories & Clothing	35
Equine Clippers & Blades	46
Pet Clippers, Trimmers & Blades	52

world's #1 selling Shearing Plant



Evo Shearing Plant

- Winner of multiple WorkSafe awards
- Integrated safety cut out helps eliminate dangerous lock ups
- Durable, high performance 300W motor
- Soft start to increase handpiece life and reduce wear

The first professional shearing system in the world with an electronic safety switch designed to help eliminate handpiece lockup. Sturdy, fibreglass reinforced housing with quick clamp system to eliminate movement between motor and downtube.

Speeds at 230V: 3500/3200/2700rpm Weight: 7.8kg motor only / 14.4kg including downtube

Evo & Wall Bracket: 722-702A Evo & Solid Downtube Kit: 722-702K



WE'VE USED EVOS SINCE 2006 AND SINCE THEN HAVE HAD NO LOCK UPS - ALL OUR STAFF FEEL 100% RELAXED AND CONFIDENT AROUND OUR SHEARING STANDS

Mark Barrowcliffe

President, NZ Shearing Contractors Association

Downtubes, Stands & Brackets





Accessories



Downtube Transporter

Easily carry and keep your downtube safe from damage during transport with our Downtube Transporters, made from the same tough, weather resistant material as our Evo Transporters. The thick, padded end offers complete protection for your downtube drive, and the strong velcro flap secures your downtube in place. 900-311



Shearing Plant Transporter

Conveniently carry and protect your Evo during transport with our Shearing Plant Transporters, made from durable, heavy duty and weather resistant material to shield your most expensive shearing asset. 900-310



Evo Service Kit Keep your Evo running smoothly with an Evo Service Kit containing all the parts you need to carry out a full Evo Shearing Plant service.

722-957



Shearing Plant Cover Protect your installed Evo and downtube in the shed with our protective covers, made from durable, hard wearing material with a drawstring fastener for secure fit and protection from the elements. Fits the Evo and most modern shearing plants. 900-300



Shearing Oil

Designed to protect and extend the life of your shearing equipment, and keep your gear performing at its peak for longer.

Prevents equipment from overheating and is suitable for use in high and low temperature environments.

Reduces residue buildup and prevents corrosion with low foaming formula. **719-036**



ONE Dagging Plant

- Integrated safety cut out helps eliminate lock ups
- Durable high performance 300W motor
- Quiet at 70dB



The ONE Dagging Plant incorporates all features of the EVO but can only be operated with a flexible drive.

Speed at 230V: 2950rpm Dimensions: 243mm (W) x 317mm (H) x 209mm (L) Weight: 6.5kg

ONE Dagging Plant - Flexible Worm Drive 165cm (includes pin drive): 722-195 ONE Dagging Plant - Flexible Worm Drive 200cm (includes pin drive): 722-632 Motor: 722-602

World's #1 selling DOGO POPOSS

亡靈



TPW Xpress

Woolpress

- Renowned reliability, the preferred woolpress of contractors
- Safety screen guard complete with automatic return
- Cycle time of 12-16 seconds in high yielding wool to 200kg
- Swift pack locking system the fastest available

Capable of pressing 90 bales of wool a day, the TPW Xpress Woolpress handles a 10 stand shed with ease. The unique automatic side pinning results in bales being compact, square and contamination free while the powerful yet quiet single hydraulic cylinder ensures more wool is pressed into fewer bales.

Specifically designed with a low overall height to be easily maneuvered and fit through personal doorways upright and comes complete with the brand new

3HP 240V Single Phase soft start: **602-098** 5.5HP 415V 3 phase: **602-096**



10

1

Included as standard with TPW Woolpresses

The brand new FX1+ indicator features audible and visible alarms that let you know when you're approaching target weight and built-in memory to retain the last weight reading in the case of a power failure.

- Numbers flash faster while approaching target weight
- Intermittent buzzer gets faster approaching target weight
- Buzzer sounds continuously as target weight is reached



When used with Iconix loadbars, the FX1+ has **FREE** mode for weighing static loads such as produce, and **HOLD** mode for livestock weighing which averages the weight of the animal and displays this until the next animal is weighed.

FX1+ Indicator: 601-000

```
Iconix Loadbars 600mm (pair): 601-011
```

Specifications TPW Xpress Woolpress

Operation height	2740mm
Transport height	2140mm
Box height (filling)	1185mm
Width	1390mm
Depth	970mm
Weight	530kg
Generator size minimum	8KVA
Pressure relief	2600-2700psi
Oil capacity	25L
Pump	Variable displacement
	piston pump.
Cylinder	88.9mm bore x
	740mm stroke.
Oil type	Hyspin AWS 32



Upgrades & Accessories

TPW Xpress Woolpress



Quick Release Cylinder Kit

Save time lowering the cylinder and easily transport your TPW Xpress between sheds and through low doorways. 602-076



Woolbale Trolley For safe transportation of woolbales.

AXPS 130



Woolpress Cover Protects your Woolpress from dirt, dust and other contaminants. Built to last with covered zips to keep dirt out, strong velcro fastening flaps for quick and secure fitment and top flap to fit raised cylinder.

900-312



Woolpress Trolley

For safe transportation of the TPW Xpress Woolpress. 606-030







TPW Backease Hoist

Industry professionals trust the reliable TPW Backease Hoist to safely lift loads of up to 600kg with extendable 1.2 - 1.8m boom. At only 78kg, it's easy to install with no loss of load space and features hydraulic lift and pressure regulated downwards movement.

With a wide range of attachments available, the Backease Hoist is ready to lift **pallets**, **posts**, **fencing**, **drums**, **sheep**, **gas cylinders & more**!



Handpieces Used by the world's top shearers



Icon FX Mechanical Handpiece

- •The handpiece used by the world's top shearers
- Slimmer barrel for comfort, manoeuvrability & control
- Lighter weight to save time and maximise tallies



The overall lighter FX requires less effort and time to start and stop each blow, helping you shear more efficiently and maximise tallies.

The redesigned slimmer barrel provides better handpiece balance and new levels of comfort and ergonomics to reduce strain and give you superior maneuverability, control and grip. Comes with durable aluminium case, screwdriver and ferrule.

721-181

Icon Cyclone Mechanical Handpiece

- Designed by experts, tested by professionals
- Smooth running, ergonomic design & a crisper cut
- Offers longer working life and reduced maintenance



Developed in cooperation with the Swiss Technical University ETH in Zurich, the Cyclone offers high performance, a longer working life and minimal maintenance effort required. Comes with durable aluminium case, screwdriver and ferrule. 721-180

Xpert 240V Electric Handpiece

- High-torque, 200W permanent magnet motor
- Ergonomic and lightweight at 1180g
- 2500dbs per minute cutting speed
- Fitted with comb and cutter



Power and technology are combined at the highest level in this handy, lightweight machine. The unique and innovative strong connection between the shearing head and the reinforced housing ensures low vibration while shearing. **708-202**

нeiniger

Ultimate 3 12V Battery Handpiece

•Thumb operated momentary switch and retractable cord

- Cutting speed of 2250dbs per min
- Lightweight at only 1400g
- Powerful 160W motor



The versatile Ultimate 3 comes with 2 rechargable 7AH batteries - letting you shear, crutch or dag anywhere.

Comes with 2 12V 7ah batteries, 2 chargers, holster and belt, comb, cutter and battery backpack or pouch. **712-150**

706-500



Clipper Head

Converts Ultimate 3 and S12 to horse and cattle clippers.

S12 12V Electric Handpiece

- Battery-operated shearing handpiece with 5m lead
- Cutting speed of 2250dbs per min
- Operating time of 4 to 5 hours with regular car battery
- Lightweight at only 1230g



The portable 12V battery operated S12 can be used everywhere a 12V battery is available, a mains connection is not required.

Complete with carry case, screwdriver, oil, brush, comb and cutter. 712-100





Long Repair Kit

- 1 Tension Pin
- 1 Tension Sleeve
- 1 Tension Pin Cup
- 1 Tension Pin Retaining Spring
- 1 Centre Post
- 1 Centre Post Cup
- 1 Centre Post Lock Nut
- 1 Ball
- 2 Cogs
- 721-162



Short Repair Kit

- 1 Tension Pin
- 1 Tension Sleeve
- 1 Tension Pin Cup
- 1 Tension Pin Retaining Spring
- 1 Centre Post
- 1 Centre Post Cup

721-163



Bearing Replacement Kit

- 1 Distance Washer
- 1 Front Bearing
- 1 Wave Washer
- 1 Circlip
- 1 Seal
- 721-164





Run In Shearing Combs



FREAK

94.5mm wide; long bevel

For fine wool shearing. Australia's #1 selling shearing comb. 714-085



REBEL

92mm wide; long bevel

For use in the toughest shearing fine wool sheep. With straight bottom tooth, designed to perform straight from the packet. **714-086**



BAD LG2 94.5mm wide; long bevel

Everything you love about the original BAD with LG2 to help you tackle the toughest combing sheep! **714-111**



NINJA

97mm wide; medium-long bevel

For good combing sheep. Designed to achieve high tallies straight from the packet. 714-107



XPRESS

93.5mm wide; long bevel

For all types of fine wool sheep. The bends, width and long bevel are based on the ever-popular Wicked comb profile. **714-061**



XLR8 98mm wide: medium bevel

For broad wool shearing. Superior entry and flow on the skin with smoother bends for maximum tallies.

714-106



SUPER QUASAR 95mm wide: medium bevel

A run in version of our trusted Quasar comb profile which offers optimum entry and flow to maximise tallies in open wooled free combing sheep. 714-037



CONDOR

98mm wide; short bevel For broad wooled sheep. The 98 mm wide profile offers optimum width of blow. 714-088



94.5mm wide; medium bevel

For the widest variety of merino and cross-bred sheep. Versatile and efficient, this could well be the only comb you will ever need. **714-130**



KOMBAT 97mm wide; short bevel

For avoiding skin cuts and improving tallies. With superior technology to allow the comb to enter, find the skin with ease and offer excellent flow over the skin. **714-108**



PROFLEX

B-FVII

94mm wide; medium bevel

For open wooled merinos and tough shearing cross-breds. **714-096**



RAGING WARRIOR

96mm wide; short bevel

For open wool sheep types. A wide cross-bred profile delivering the perfect flow. **714-056**



QUANTUM

95mm wide; short bevel

For open wooled free combing sheep. Enhanced flow for maximum tallies. Right: 714-050 Left: 714-068



SUPER CHARGED

93.5mm wide; short bevel

For open wooled sheep. The lower profile provides superior entry. 714-034

Full Thickness

Shearing Combs



FREESTYLE 96mm wide: long bevel

For average to poor shearing merinos. Delivers a wide blow whilst leaving a beautiful finish. **714-057**



QUASAR 4

95mm wide; medium bevel For achieving high tallies, specifically for sheep with broad wool. 714-040



93.5mm wide; long bevel

WICKED

For all types of fine wool sheep. A proven favourite for achieving high tallies. **714-042**



REFLEX 94mm wide; medium bevel

For shearing open wooled merinos and tough shearing cross-breds. Attention has been placed on the bends of the teeth resulting in a perfect finish. **714-077**



RAPIER 86mm wide; long bevel

For use in tough shearing sheep. The straight bottom tooth allows easy entry in damp, sticky wool making it a favourite in crutching cradles. 714-040



TOPAZ

84.5mm wide; medium bevel

For use in all types of wool and shearing conditions. **714-078**



WARRIOR

714-059

CHARGER

96mm wide; short bevel For crossbreds with perfect flow in open wool.



93.5mm wide; short bevel

For sheep with broad wool, the Charger has been specifically designed for New Zealand conditions. Right: 714-033 Left: 714-032



CALIBRE 93.5mm wide; short bevel For all crossbred full wool sheep. 714-098



What is LG2?

Heiniger's patented LG2 technology reduces grease build-up on the back of the comb, provides superior entry and flow and allows the comb to sit better on the pelt of the sheep.



What is BAT?

Combs with Heiniger's unique **B**evel **A**ngle **T**echnology have a larger radius on the scallop, allowing for improved entry straight from the box.

Winter Shearing Combs



ISOBAR 97.5mm wide; short bevel

For optimum entry and flow with its superior width of blow. 714-065



BLIZZARD 94.5mm wide; short bevel For shearing all sheep types. 714-060



HIGHLANDER

97mm wide; medium bevel

For open wooled and tougher cross-bred sheep. Leaves a residual cover of wool for protection from the elements. **714-066**



CRUSADER 94.5mm wide; long bevel For shearing tighter wooled sheep types. **714-069**

SAFETY WARNING! Winter combs should ONLY be paired with suitable cutters.

We recommend to only use either EDGE or XTREME cutters with winter comb profiles.

If you are unsure, contact our team on (03) 349 8282 before use.

Special Purpose

Shearing Combs



MACH 9 94mm wide; long bevel For shearing extra tough sheep. Right: 714-071 Left: 714-074



SHATTLE

For horse and cattle clipping as well as a range of other animals. A unique comb with a 25 tooth concave design for use on electric or mechanical shearing handpieces. **714-090**



SLICK 84.5mm wide; medium bevel

For demonstration shearing, side sampling and stud sheep shearing A concave 17 tooth design provides a high degree of safety ensuring nicks and skin cuts are kept to a minimum. **714-115**



CAMELID

For shearing llamas, alpacas, guanacos and other members of the camelid family. Leaves a cover of 6mm to 10mm of fibre. **714-025**



OVINA PREMIUM 77mm wide; medium bevel

For multiple uses including shearing, crutching, dagging or side sampling. Ensures maximum safety and reduces nicks and cuts. 714-117



COMB LIFTER

Attaches to the comb, raising it from the skin and leaving a generous cover of wool on the animal. We recommend the use of our electric handpiece comb screws in conjunction with the comb lifter. **714-099**



Cutters



EDGE (Full Thickness)

Edge cutters feature a wider throw and further reach for a greater selection of lead options. Suitable for all combs, including Winter. 714-151



XTREME (Run-In)

For all combs, including Winter. Incorporates safety features to eliminate potentially dangerous comb and cutter mechanical lock-ups. 714-152



Cutter Dispenser

Conveniently stores 60 - 80 Heiniger cutters with guick release system for easy access.

Protects your cutters with the unique design that guards the teeth's sharp edges.

Locks your cutters in place during transport with the unique rubber stopper.

Built tough with durable aluminium - the only cutter dispenser you'll ever need. 721-196

Spare Stopper

Genuine replacement stopper for your Heiniger Cutter

900-819



The A.R.T. of MINNAL MOS



Acutecc Professional Grinder

- With Arc Radius Technology
- Enhances your ability to get on the radius of the disc
- Powerful enough to be permanent, light enough to be portable
- •Your complete out of the box grinding solution

The longer mast height delivers a more consistent movement of the pendulum along the radius line, which in turn enhances the hollow when sharpening combs and cutters.

Includes 2 pendulums, 1 coarse Red Heat emery, 1 fine Red Heat emery, 1 250ml emery glue, safety glasses, ear plugs, grinding wall chart and comb hollow check stone.

719-300



Diamond Grind

Grinding Emery

- Aluminium oxide shearing emery
- Strong spark definition



Comes in coarse 40 grit for combs or fine 80 grit for cutters.

Coarse: 719-202 Fine: 719-203

GT Premium Grinding Emery

- Longer lasting, crisp cut professional shearing emery
- Incorporates the latest in abrasive technology



Available in coarse for combs and fine for cutters.

GT-999 Coarse: 719-299 GT-888 Fine: 719-288

Red Heat Grinding Emery

- Unique backing achieves a true replication of the hollow
- Exceptionally sharp with 100% patented SG ceramic grain
- Offers fast coating removal with less loading and longer life



Our Red Heat grinding emery is unique in offering a 'closer to disc' grind due to its unique new backing and the 100% patented SG (Seeded Gel) ceramic grain lets you save time by changing emery less often.

Coarse: 719-250 Fine: 719-260

нeiniger

VERY IMPRESSED WITH RED HEAT! I GET OVER 70 COMBS AND 250 CUTTERS FROM ONE COARSE AND ONE FINE EMERY."

David Buick

2021 #1 Ranked Shearer in NZ 2021 North Island Shearer of the Year 2021 South Island Shearer of the Year 4-time NZ Lamb Champion 2-time Australian Crossbred Champion 1-time NZ Long Wool Champion 6-time Golden Shears Finalist

Shearer's Glue

- Latex-based adhesive, the choice of shearers worldwide
- Reliable adhesion in all climates
- Reduced downtime when changing emeries



250ml: 719-013 500ml: 719-014

Pendulum

- •T6 forged anodised aluminium head
- Enhanced locking system for precise height adjustment
- Stainless steel rod for easy adjustment and low maintenance



Versatile to use on any grinder and adjustable for grinding combs and cutters. Complete with grinding technique chart, two handles and safety ear and eye wear.

719-032



Acutecc Hollow Gauge

- Silicon carbide checking stone
- Ensures the correct hollow is obtained when grinding
- Includes comprehensive grinding technique wall chart



799-054

Grinding Discs

• Low heat aluminium grinding discs



Grinder Disc Set: **719-010** Disc Covers: **719-023**

Shearing Accessories



Belts

Elastic belt with genuine leather tongue and steel buckle. Wide 52mm (sizes 32-44 inches): **607-022W**



Comb Pouches

Leather 6 pocket: **607-039** Leather 9 Pocket: **607-040** Felt 6 pocket: **607-027** Felt 9 Pocket: **607-028** Felt 2 Pocket: **607-041**

Comb Covers For Show Shearers 607-030



Hells Bells Sheep Rattle 799-061



Backwarmers Thermal (S - XL): 607-024



Tally Counter

0-9999 push button operation, chrome plated with instant reset. 523-000



Gear Bags

Made from heavy duty PVC, water-proof and designed to last. Small: 607-034 Large: 607-035
нeiniger



Comb Brush

Specifically designed for cleaning shearing combs. Made from durable material with metal scraper incorporated. **701-653**



Polishing Wax

Use in conjunction with calico mop on bright boys or small grinders to achieve an outstanding shine. 523-005



Leather Strop

Removes pitting and chipped edges from comb tips enabling smooth entry. Made from 4mm thick cow hide. 523-001



Calico Mop

For comb polishing. Unbleached/uncoloured to prevent wool contamination. 523-010



Strop 'N' Shine Kit

Unique design ensures smooth tips and an ultra gloss on all Heiniger comb types. Comes complete with carry bag and polish.

Full kit: 523-015 Polish only: 523-016



Screwdriver

Octagonal handle for excellent grip. 701-646



Shearer's Oil Bottle



Ceramic Sharpening Stone 523-008



Grease Universal Tube 722-250



Fuji Wet & Dry Paper 719-015



Cratex Wheel 523-013



Needle & Cotton Needle - **715-352-NZ** Cotton - **715-353**



Elastrator®



Original Applicator

Largest opening of any standard applicator on the market. Opens Elastrator rubber latex rings to their exact tensile tolerance. 001-EAO



Ring Dispenser

Solid, non corrosive metal dispenser. Mountable on fence or rail to reduce time taken to apply elastrator rings to the applicator. 001-ERD



Generic Applicator

An economically priced generic rubber latex ring expander.

001-EAG



Elastrator Rings

For castration, tailing and other industrial applications. Stringently quality controlled for size, strength and durability to ISO 9001 standards.

 Orange x100: 002-ESR20000/1
 B

 Orange x500: 002-ESR20000/1
 B

 Orange x2000: 001-ESR02000
 B

 Orange x5000: 001-ESR05000
 B

Blue x100: **002-200156/100** Blue x500: **002-200156/5** Blue x2000: **002-ESRB2000** Blue x5000: **002-200156/5000**

Clothing of champions

Pete Nikolaison Photograph

14.

PINIA)



Next Gen Jeans RS

Shearing Apparel

- •Tough, durable and abrasion resistant
- Soft cotton feel for maximum comfort
- Resistant to stretching and deforming
- Elastic waist inserts for a the perfect fit
- Breathable and quick drying
- Designed by shearers for shearers

Available Sizes:

75	Short	607-132
77.5	Regular	607-127
80	Regular	607-105
82.5	Short	607-126
82.5	Regular	607-106
82.5	Long	607-121
85	Regular	607-107
85	Long	607-119
87.5	Regular	607-108
87.5	Long	607-115
90	Regular	607-109
90	Long	607-122
92.5	Short	607-124
92.5	Regular	607-111
92.5	Long	607-110
95	Regular	607-112
95	Long	607-123
97.5	Regular	607-113
97.5	Long	607-117
102.5	Regular	607-118
107.5	Short	607-125





Original Shearer's Jeans

- Made from exceptional quality long lasting black denim
- Minimal fading
- Heavy duty zip & double denim at all wear points
- Minimal 3% shrinkage rate
- Designed to stay on the hips
- Exceptionally comfortable to shear in
- Split leg cuff making them easier to get on and off
- •Tailored back and waist



Size		Inside Leg	Code
72.5	Regular	78cm	607-086
77.5	Short	74cm	607-050
77.5	Regular	78cm	607-051
77.5	Long	84cm	607-052
80	Short	74cm	607-053
80	Regular	78cm	607-054
80	Long	84cm	607-055
82.5	Short	74cm	607-056
82.5	Regular	78cm	607-057
82.5	Long	84cm	607-058
85	Short	74cm	607-059
85	Regular	78cm	607-060
85	Long	84cm	607-061
87.5	Short	74cm	607-062
87.5	Regular	78cm	607-063
87.5	Long	84cm	607-064
90	Short	74cm	607-065
90	Regular	78cm	607-066
90	Long	84cm	607-067
92.5	Short	74cm	607-068
92.5	Regular	78cm	607-069
92.5	Long	84cm	607-070
95	Short	74cm	607-071
95	Regular	78cm	607-072
95	Long	84cm	607-073
97.5	Short	74cm	607-074
97.5	Regular	78cm	607-075
97.5	Long	84cm	607-076
100	Short	74cm	607-077
100	Regular	78cm	607-078
100	Long	84cm	607-079
102.5	Short	74cm	607-080
102.5	Regular	78cm	607-081
102.5	Long	84cm	607-082
107.5	Short	74cm	607-083
112.5	Short	74cm	607-084



Heiniger Apparel



Next Gen Singlet

Lightweight, breathable, quick drying and durable Shearer's singlet with advanced technology for unbeatable comfort. (S - XXXL): 607-015



Heiniger Beanie



Heiniger Leather Moccasins

High quality, hard wearing suede leather with a comfortable and durable lining.

Men's (sizes 6-13): 607-019



Heiniger Polo Shirt

Cool, dry and comfortable Heiniger branded polo shirts. (S - XXXXL): 607-047



Heiniger Baseball Cap 985-017

Woolshed Accessories



Betta Bats

Ideal for picking up lamb's wool and locks and various other handling tasks around the farm or shearing shed. 523-006

Woolshed Scraper

Features extendable handle with rubber grip and long lasting polypropylene blade. Scraper & blade: **799-009** Replacement blade kit: **799-005**



Bale Hook

Excellent bend and a point which pierces the bale with ease.

Circular Stencils



Long lasting plastic with bevelled lettering for precise stencilling and less bleed.

Numeric 0-9: **ST-09** Alpha A-M: **ST-AM** Wooden Woolshed Scraper Features strong wooden handle with rubber grip and long lasting polypropylene blade.

Wooden scraper & blade: **799-007** Wooden handle only: **799-008**



Shearer Learner's Kit

Included with the kit:

- 1x lcon handpiece
- 5x Combs
- 30x Cutters
- 1x Pendulum
- 1x Oil bottle
- 1x Comb brush

- 1x Needle & thread
- 1x 2-pocket comb pouch
- 1x Tally counter
- 1x Pair of shearing jeans
- 1x Heiniger singlet
- 1x Heiniger gear bag



Available to all learner shearers who successfully complete the Learner Shearers Course and obtain a completion certificate. 523-011

(See our full equine range in our Grooming Catalogue)

atro.

and the second second second

- 48

MP



Xplorer 10.8V Cordless Clipper

- Ergonomically shaped slim grip and soft feel barrel
- Lightweight at only 990g
- Powerful 10.8V Li-lon rechargeable battery
- Extremely silent at 65dB



10.8V Cordless horse and cattle clipper for smooth and powerful clipping! At 2450 dbs/ minute, the Xplorer has more cutting power to the blades compared to any other clipper in its class! Provides up to 120 minutes of clipping in a single charge, and recharges in 60-70 minutes.

Comes complete with clipping blades.

Xperience 2-Speed

240V Clipper

- Ergonomically shaped slim grip, soft feel barrel
- 2,600 and 2,900 dbs/min clipping speeds
- Lightweight at 1180g
- Very powerful 250 watt motor



Featuring two versatile clipping speeds! Use the top speed for a faster, more efficient clip and use the lower speed for a quieter clip with less vibration, perfect for sensitive horses and those ticklish areas.

Comes complete with clipping blades.

Progress Style 240V Clipper

- Ultra-slim grip provides easy handling
- Smooth for precision clipping
- Great for nervous or young horses
- Lightweight at only 930g



Quiet running clipper with a strong 80 watt permanent magnet motor with considerable torque.

Comes complete with clipping blades. 707-518



Delta 3 240V Clipper

- Ergonomic grip for comfort and control
- Innovative tensioning system reduces wear and tear
- Silent but powerful 180 Watts
- 3 clipping speeds



The only horse clipper on the market with 3 clipping speeds, allowing a simple and easy professional look clip even in the toughest conditions.

Speeds: 2100/2800/3200 dbs/min

Comes complete with clipping blades.

Blades Large Clippers



Blade Set 18/15 For thick, long or frizzy coats. 2-4mm cover. 703-700



23 seller <2

Blade Set 31/23 For thoroughbred clipping. 2-4mm cover. 703-550



Blade Set 21/23 For dirty coats and cattle clippers. 2-4mm cover. 703-520



Blade Set 31F/23 For a perfect finish on horse coats. 1-2mm cover. 703-580



Blade Set 31/15 For a clean horse coat. 2-4mm cover.

703-530



○ 35F Stalinger 40

Blade Set 35/17 For horse and cow styling. 2-4mm cover.

703-600

Blade Set 35F/17

For clipping close to the skin. 1-2mm cover.

703-630



Blade Set 31F/15 For fine coat clipping. 1-2mm cover.





Blade Set 35F/23

For lasting thoroughbred clipping. 1-2mm cover. 703-640



Blade Set 53/23 For surgical use. 1mm cover.

703-670

Heiniger's Service Centre Offers:

- Clipper Repairs
- Clipper Servicing
- Blade Sharpening



1B Chinook Place, Hornby, Christchurch, 8042

(03) 349 8282

(See our full pet grooming range in our Grooming Catalogue)

MIMG



Opal 2-Speed A5 Clipper

- Powerful 2-speed motor (2600 & 3100 double strokes/min)
- Unbelievably Quiet (59 decibels)
- 120 min runtime on high speed and 180 min on low speed (recharges in 60 min)
- Convenient battery level indicator
- Lightweight and ergonomic



The all-new 2-speed Opal is the latest addition to Heiniger's A5 Clipper range, providing an unrivalled level of quality, power and convenience and raising the bar in clipping for professional Groomers in Australia. Comes with #10 blade.

709-002.70A1

Saphir Style

- Lightweight, cordless and quiet
- 35W permanent magnet motor
- Powerful 2650 dbs/minute
- Also ideal for horse trimming



Saphir Cord

- 240V with long 3 metre cord
- Powerful 35W motor capable of 3200 dbs/minute
- Lightweight & quiet



The versatile A5 clipper that can clip, trim & groom just about anything! Clip for up to 90 minutes on a single battery and charges back up to full in just 60 minutes. Comes with #10 blade. **707-752-70A1** The versatile A5 clipper that can clip, trim & groom just about anything! Comes with #10 blade.



Opal Kits



Opal Deluxe Vet Kit

- 1 Opal
- 2 Li Ion Batteries
- 1 Charging Station
- 1 Cleaning Brush
- 1 Carry Case
- 1 Clipper Oil
- 1 #10 Blade

709-002.70K

Saphir Kits





Saphir Deluxe Vet Kit

- 1 Saphir Style
- 2 Li Ion Batteries
- 1 Charging Station
- 1 Cleaning Brush
- 1 Clipper Oil
- 1 #10 Blade
- 707-752-70K

Saphir Pro Solution

- 1 Saphir Style
- 1 Li Ion Battery
- 1 Charging Station
- 1 240v Power Cord
- 1 Cleaning Brush
- 1 Aluminium Carry Case
- 1 Clipper Oil
- 1 #10 Blade
- 707-752-70A5

Opal Spare Parts & Servicing



Major Service Kit

- 1 Rubber Tap
- 1 Turning Lever
- 1 Seal
- 1 Blade Lock
- 1 Blade Support
- 709-038





Major Service Kit

- •Turning Lever
- Seal
- Blade Lock
- Blade Support
- Circlip
- Excentric Cog Wheel

707-775



Minor Service Kit

- 1 Rubber Tap Seal
- 1 Turning Lever
- 1 Seal
- 709-037



Minor Service Kit

- •Turning Lever
- Seal
- Circlip
- 707-774



Battery

- 2.85AH genuine replacement battery
- To suit the Heiniger Opal

709-100



Battery

- 1.4AH genuine replacement battery
- To suit the Heiniger Saphir



Style Midi

Trimmer

- Lasts up to 100 mins on a single charge
- Charges within 60 mins
- Adjustable 46mm blade head
- Very quiet and low vibration



Perfect for clipping those tricky places! With 4 cutting lengths and 5 comb attachments: 4, 8, 12, 16 & 20mm. **707-202**



Blade Set 707-260

Style Mini

- Lightweight, cordless and very quiet
- Lasts up to 80 mins on a single charge
- Charges within 60 mins
- Removable 30mm blade head



Specifically designed to clip and style around sensitive areas. Cut length of 0.3mm and adjustable comb attachment: 3 - 6mm. **707-212**



Blade Set

Small Clipper Blades

To suit the Heiniger Saphir, Opal and other snap-on blade clippers.











#50 0.2mm

VET Cat 707-905

#40 0.25mm VET Cat 707-910

#30 0.5mm

VET Cat & Dog

#15 1.2mm

#10 1.5mm

Cat, Dog & Cow

Cat & Cow

707-926

707-930

707-917









#9 2.0mm Dog, Horse & Cow **707-933**

#8.5 2.8mm

Dog **707-941**

#7 3.2mm Dog **707-943**

#7F 3.2mm Dog **707-945**

> **#5 6.3mm** Dog **707-957**

57





ProGroom[™] Attachment Combs

ProGroom's all-new set of professional Attachment Combs effortlessly glide through coats to provide a smooth finish and let you clip to the precise length required.

• Rounded tips that effectively penetrate the coat with minimal risk of damaging the skin.

• Built to last using high quality stainless steel.

Perfectly compliments Heiniger and ProGroom's range of professional grooming accessories.

BL-LI-9

58





Dog **707-966**

Cat Dog

707-920

#5/8 0.8mm



hiteitei

#10W 2.3 mm Horse & Cow 707-974



Discover more at **heiniger.co.nz**

Heiniger New Zealand(03) 349 8282sales@heiniger.co.nz1B Chinook Place, Hornby, Christchurch 8042.

